

Bureau of Health Care Quality and Compliance

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:  <b>NVN2010AGC</b>	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED  <b>04/27/2011</b>
NAME OF PROVIDER OR SUPPLIER  <b>SAINT PAULS HOME CARE</b>			STREET ADDRESS, CITY, STATE, ZIP CODE <b>1500 MANHATTAN ST RENO, NV 89512</b>		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
Y 000	<p><b>Initial Comments</b></p> <p>The findings and conclusions of any investigation by the Health Division shall not be construed as prohibiting any criminal or civil investigations, actions or other claims for relief that may be available to any party under applicable federal, state, or local laws.</p> <p>This Statement of Deficiencies was generated as a result of an annual State Licensure survey conducted in your facility on 4/27/11. This State Licensure survey was conducted by the authority of NRS 449.150, Powers of the Health Division.</p> <p>The facility is licensed for six Residential Facility for Group beds for elderly and disabled person and/or persons with mental illness or mental retardation, Category I residents. The census at the time of the survey was five. Five resident files were reviewed and one employee file was reviewed.</p> <p>No regulatory deficiencies were identified. No further action is necessary. Please retain a copy of this report for your records.</p>	Y 000			

If deficiencies are cited, an approved plan of correction must be returned within 10 days after receipt of this statement of deficiencies.

TITLE

(X6) DATE

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE